

Supplemental Material, Table 1

Probability of reporting at least one statistically significant result ($p<0.05$) according to source of funding: crude and adjusted odds ratios from logistic regression models with 95% confidence intervals).

	Source of funding				
	Industry (n=12)	Public or charity (n=11)	Mixed (n=14)	Not reported (n=22)	p- value*
Crude	0.11 (0.02 – 0.78)	1 (reference)	0.56 (0.08 – 3.80)	0.76 (0.12 – 4.70)	0.04
Adjusted for:					
Exposure characteristics					
Position of antenna next to ear	0.08 (0.01 – 0.65)	1 (reference)	0.57 (0.08 – 3.97)	0.71 (0.11 – 4.48)	0.027
Use of 900 MHz band	0.12 (0.02 – 0.8)	1 (reference)	0.58 (0.08 – 4.03)	0.74 (0.12 – 4.65)	0.057
Duration of exposure in minutes	0.045 (0.003 - 0.69)	1 (reference)	0.26 (0.024 - 2.92)	0.48 (.045 - 5.04)	0.042
Type of outcome					
Electroencephalogram	0.09 (0.01 - 0.67)	1 (reference)	0.48 (0.07 - 3.46)	0.68 (0.11 - 4.42)	0.03
Cognitive function tests	0.14 (0.02 - 0.98)	1 (reference)	0.42 (0.06 - 3.11)	0.7 (0.11 - 4.44)	0.12
Hormone levels	0.11 (0.02 - 0.82)	1 (reference)	0.48 (0.07 - 3.43)	0.75 (0.12 - 4.79)	0.056
Cardiovascular function	0.12 (0.01 - 0.99)	1 (reference)	0.56 (0.08 - 3.8)	0.77 (0.12 - 4.85)	0.11
Wellbeing or symptoms	0.11 (0.02 - 0.78)	1 (reference)	0.56 (0.08 - 3.82)	0.77 (0.12 - 4.87)	0.043
Other	0.11 (0.02 - 0.78)	1 (reference)	0.57 (0.08 - 3.98)	0.77 (0.12 - 4.83)	0.046

* From likelihood ratio tests. Models adjusted for one variable at a time.

Huss A, Egger M, Hug K, Huwiler-Müntener K, Röösli M: Source of Funding and Results of Studies of Health Effects of Mobile Phone Use: Systematic Review of Experimental Studies.

Supplemental Material, Additional Reference List

- Arai N, Enomoto H, Okabe S, Yuasa K, Kamimura Y, Ugawa Y. 2003. Thirty minutes mobile phone use has no short-term adverse effects on central auditory pathways. *Clin Neurophysiol* 114:1390-1394.
- Bak M, Sliwinska-Kowalska M, Zmyslony M, Dudarewicz A. 2003. No effects of acute exposure to the electromagnetic field emitted by mobile phones on brainstem auditory potentials in young volunteers. *Int J Occup Med Environ Health* 16:201-208.
- Basset A, Espa F, Dauvilliers Y, Billiard M, de Seze R. 2005. No effect on cognitive function from daily mobile phone use. *Bioelectromagnetics* 26:102-108.
- Borbely AA, Huber R, Graf T, Fuchs B, Gallmann E, Achermann P. 1999. Pulsed high-frequency electromagnetic field affects human sleep and sleep electroencephalogram. *Neurosci Lett* 275:207-210.
- Bortkiewicz A, Pilacik B, Gadzicka E, Szymczak W. 2002. The excretion of 6-hydroxymelatonin sulfate in healthy young men exposed to electromagnetic fields emitted by cellular phone -- an experimental study. *Neuro Endocrinol Lett* 23 Suppl 1:88-91.
- Braune S, Riedel A, Schulte-Monting J, Raczek J. 2002. Influence of a radiofrequency electromagnetic field on cardiovascular and hormonal parameters of the autonomic nervous system in healthy individuals. *Radiat Res* 158:352-356.

Huss A, Egger M, Hug K, Huwiler-Müntener K, Röösli M: Source of Funding and Results of Studies of Health Effects of Mobile Phone Use: Systematic Review of Experimental Studies.

Celik O, Hascalik S. 2004. Effect of electromagnetic field emitted by cellular phones on fetal heart rate patterns. *Eur J Obstet Gynecol Reprod Biol* 112:55-56.

Curcio G, Ferrara M, De Gennaro L, Cristiani R, D'Inzeo G, Bertini M. 2004. Time-course of electromagnetic field effects on human performance and tympanic temperature. *Neuroreport* 15:161-164.

D'Costa H, Trueman G, Tang L, Abdel-rahman U, Abdel-rahman W, Ong K, et al. 2003. Human brain wave activity during exposure to radiofrequency field emissions from mobile phones. *Australas Phys Eng Sci Med* 26:162-167.

de Seze R, Ayoub J, Peray P, Miro L, Touitou Y. 1999. Evaluation in humans of the effects of radiocellular telephones on the circadian patterns of melatonin secretion, a chronobiological rhythm marker. *J Pineal Res* 27:237-242.

de Seze R, Fabbro-Peray P, Miro L. 1998. GSM radiocellular telephones do not disturb the secretion of antepituitary hormones in humans. *Bioelectromagnetics* 19:271-278.

Edelstyn N, Oldershaw A. 2002. The acute effects of exposure to the electromagnetic field emitted by mobile phones on human attention. *Neuroreport* 13:119-121.

Eulitz C, Ullsperger P, Freude G, Elbert T. 1998. Mobile phones modulate response patterns of human brain activity. *Neuroreport* 9:3229-3232.

Freude G, Ullsperger P, Eggert S, Ruppe I. 2000. Microwaves emitted by cellular telephones affect human slow brain potentials. *Eur J Appl Physiol* 81:18-27.

Haarala C, Aalto S, Hautzel H, Julkunen L, Rinne JO, Laine M, et al. 2003. Effects of a 902 MHz mobile phone on cerebral blood flow in humans: A pet study. *Neuroreport* 14:2019-2023.

Huss A, Egger M, Hug K, Huwiler-Müntener K, Röösli M: Source of Funding and Results of Studies of Health Effects of Mobile Phone Use: Systematic Review of Experimental Studies.

Haarala C, Bjornberg L, Ek M, Laine M, Revonsuo A, Koivisto M, et al. 2003. Effect of a 902 MHz electromagnetic field emitted by mobile phones on human cognitive function: A replication study. *Bioelectromagnetics* 24:283-288.

Haarala C, Ek M, Bjornberg L, Laine M, Revonsuo A, Koivisto M, et al. 2004. 902 MHz mobile phone does not affect short term memory in humans. *Bioelectromagnetics* 25:452-456.

Hamblin DL, Wood AW, Croft RJ, Stough C. 2004. Examining the effects of electromagnetic fields emitted by GSM mobile phones on human event-related potentials and performance during an auditory task. *Clin Neurophysiol* 115:171-178.

Hietanen M, Hamalainen AM, Husman T. 2002. Hypersensitivity symptoms associated with exposure to cellular telephones: No causal link. *Bioelectromagnetics* 23:264-270.

Hietanen M, Kovala T, Hamalainen AM. 2000. Human brain activity during exposure to radiofrequency fields emitted by cellular phones. *Scand J Work Environ Health* 26:87-92.

Hinrikus H, Parts M, Lass J, Tuulik V. 2004. Changes in human EEG caused by low level modulated microwave stimulation. *Bioelectromagnetics* 25:431-440.

Huber R, Graf T, Cote KA, Wittmann L, Gallmann E, Matter D, et al. 2000. Exposure to pulsed high-frequency electromagnetic field during waking affects human sleep EEG. *Neuroreport* 11:3321-3325.

Huss A, Egger M, Hug K, Huwiler-Müntener K, Röösli M: Source of Funding and Results of Studies of Health Effects of Mobile Phone Use: Systematic Review of Experimental Studies.

Huber R, Treyer V, Borbely AA, Schuderer J, Gottselig JM, Landolt HP, et al. 2002.

Electromagnetic fields, such as those from mobile phones, alter regional cerebral blood flow and sleep and waking EEG. *J Sleep Res* 11:289-295.

Jarupat S, Kawabata A, Tokura H, Borkiewicz A. 2003. Effects of the 1900 MHz electromagnetic field emitted from cellular phone on nocturnal melatonin secretion. *J Physiol Anthropol Appl Human Sci* 22:61-63.

Jech R, Sonka K, Ruzicka E, Nebuzelsky A, Bohm J, Juklickova M, et al. 2001.

Electromagnetic field of mobile phones affects visual event related potential in patients with narcolepsy. *Bioelectromagnetics* 22:519-528.

Kellenyi L, Thuroczy G, Faludy B, Lenard L. 1999. Effects of mobile GSM radiotelephone exposure on the auditory brainstem response (ABR). *Neurobiology (Bp)* 7:79-81.

Clitzing I. 1995. Low frequency pulsed electromagnetic fields influence EEG in man. *Phys Med* 11:77 - 80.

Koivisto M, Haarala C, Krause CM, Revonsuo A, Laine M, Hamalainen H. 2001. GSM phone signal does not produce subjective symptoms. *Bioelectromagnetics* 22:212-215.

Koivisto M, Krause CM, Revonsuo A, Laine M, Hamalainen H. 2000. The effects of electromagnetic field emitted by GSM phones on working memory. *Neuroreport* 11:1641-1643.

Koivisto M, Revonsuo A, Krause C, Haarala C, Sillanmaki L, Laine M, et al. 2000. Effects of 902 MHz electromagnetic field emitted by cellular telephones on response times in humans. *Neuroreport* 11:413-415.

Huss A, Egger M, Hug K, Huwiler-Müntener K, Röösli M: Source of Funding and Results of Studies of Health Effects of Mobile Phone Use: Systematic Review of Experimental Studies.

Kramarenko AV, Tan U. 2003. Effects of high-frequency electromagnetic fields on human EEG: A brain mapping study. *Int J Neurosci* 113:1007-1019.

Krause CM, Haarala C, Sillanmaki L, Koivisto M, Alanko K, Revonsuo A, et al. 2004. Effects of electromagnetic field emitted by cellular phones on the EEG during an auditory memory task: A double blind replication study. *Bioelectromagnetics* 25:33-40.

Krause CM, Sillanmaki L, Koivisto M, Haggqvist A, Saarela C, Revonsuo A, et al. 2000. Effects of electromagnetic field emitted by cellular phones on the EEG during a memory task. *Neuroreport* 11:761-764.

Krause CM, Sillanmaki L, Koivisto M, Haggqvist A, Saarela C, Revonsuo A, et al. 2000. Effects of electromagnetic fields emitted by cellular phones on the electroencephalogram during a visual working memory task. *Int J Radiat Biol* 76:1659-1667.

Lass J, Tuulik V, Ferenets R, Riisalo R, Hinrikus H. 2002. Effects of 7 Hz-modulated 450 MHz electromagnetic radiation on human performance in visual memory tasks. *Int J Radiat Biol* 78:937-944.

Lebedeva NN, Sulimov AV, Sulimova OP, Korotkovskaya TI, Gailus T. 2001. Investigation of brain potentials in sleeping humans exposed to the electromagnetic field of mobile phones. *Crit Rev Biomed Eng* 29:125-133.

Lebedeva NN, Sulimov AV, Sulimova OP, Kotrovskaya TI, Gailus T. 2000. Cellular phone electromagnetic field effects on bioelectric activity of human brain. *Crit Rev Biomed Eng* 28:323-337.

Huss A, Egger M, Hug K, Huwiler-Müntener K, Röösli M: Source of Funding and Results of Studies of Health Effects of Mobile Phone Use: Systematic Review of Experimental Studies.

Lee TM, Lam PK, Yee LT, Chan CC. 2003. The effect of the duration of exposure to the electromagnetic field emitted by mobile phones on human attention.
Neuroreport 14:1361-1364.

Maby E, Le Bouquin Jeannes R, Liegeois-Chauvel C, Gourevitch B, Faucon G. 2004. Analysis of auditory evoked potential parameters in the presence of radiofrequency fields using a support vector machines method. Med Biol Eng Comput 42:562-568.

Maier R. 2001. [is CNS activity modified by pulsed electromagnetic fields?]. Biomed Tech (Berl) 46:18-23.

Maier R, Greter SE, Schaller G, Hommel G. 2004. [the effects of pulsed low-level EM fields on memory processes]. Z Med Phys 14:105-112.

Mann K, Röschke J. 1996. Effects of pulsed high-frequency electromagnetic fields on human sleep. Neuropsychobiology 33:41-47.

Mann K, Röschke J, Connemann B, Beta H. 1998. No effects of pulsed high-frequency electromagnetic fields on heart rate variability during human sleep. Neuropsychobiology 38:251-256.

Mann K, Wagner P, Brunn G, Hassan F, Hiemke C, Röschke J. 1998. Effects of pulsed high-frequency electromagnetic fields on the neuroendocrine system. Neuroendocrinology 67:139-144.

Monfrecola G, Moffa G, Procaccini EM. 2003. Non-ionizing electromagnetic radiations, emitted by a cellular phone, modify cutaneous blood flow. Dermatology 207:10-14.

Huss A, Egger M, Hug K, Huwiler-Müntener K, Röösli M: Source of Funding and Results of Studies of Health Effects of Mobile Phone Use: Systematic Review of Experimental Studies.

Monnery PM, Srouji EI, Bartlett J. 2004. Is cochlear outer hair cell function affected by mobile telephone radiation? *Clin Otolaryngol* 29:747-749.

Ozturan O, Erdem T, Miman MC, Kalcioglu MT, Oncel S. 2002. Effects of the electromagnetic field of mobile telephones on hearing. *Acta Otolaryngol* 122:289-293.

Papageorgiou CC, Nanou ED, Tsiafakis VG, Capsalis CN, Rabavilas AD. 2004. Gender related differences on the EEG during a simulated mobile phone signal. *Neuroreport* 15:2557-2560.

Paredi P, Kharitonov SA, Hanazawa T, Barnes PJ. 2001. Local vasodilator response to mobile phones. *Laryngoscope* 111:159-162.

Pau HW, Sievert U, Eggert S, Wild W. 2005. Can electromagnetic fields emitted by mobile phones stimulate the vestibular organ? *Otolaryngol Head Neck Surg* 132:43-49.

Preece AW, Iwi G, Davies-Smith A, Wesnes K, Butler S, Lim E, et al. 1999. Effect of a 915-MHz simulated mobile phone signal on cognitive function in man. *Int J Radiat Biol* 75:447-456.

Radon K, Parera D, Rose D, Jung D, Vollrath L. 2001. No effects of pulsed radio frequency electromagnetic fields on melatonin, cortisol, and selected markers of the immune system in man. *Bioelectromagnetics* 22:280 - 287.

Reiser H, Dimpfel W, Schober F. 1995. The influence of electromagnetic fields on human brain activity. *Eur J Med Res* 1:27-32.

Röschke J, Mann K. 1997. No short-term effects of digital mobile radio telephone on the awake human electroencephalogram. *Bioelectromagnetics* 18:172-176.

Huss A, Egger M, Hug K, Huwiler-Müntener K, Röösli M: Source of Funding and Results of Studies of Health Effects of Mobile Phone Use: Systematic Review of Experimental Studies.

Smythe JW, Costall B. 2003. Mobile phone use facilitates memory in male, but not female, subjects. *Neuroreport* 14:243-246.

Tahvanainen K, Nino J, Halonen P, Kuusela T, Laitinen T, Lansimies E, et al. 2004. Cellular phone use does not acutely affect blood pressure or heart rate of humans. *Bioelectromagnetics* 25:73-83.

Urban P, Lukas E, Roth Z. 1998. Does acute exposure to the electromagnetic field emitted by a mobile phone influence visual evoked potentials? A pilot study. *Cent Eur J Public Health* 6:288-290.

Wagner P, Röschke J, Mann K, Fell J, Hiller W, Frank C, et al. 2000. Human sleep EEG under the influence of pulsed radio frequency electromagnetic fields. Results from polysomnographies using submaximal high power flux densities. *Neuropsychobiology* 42:207-212.

Wagner P, Röschke J, Mann K, Hiller W, Frank C. 1998. Human sleep under the influence of pulsed radiofrequency electromagnetic fields: A polysomnographic study using standardized conditions. *Bioelectromagnetics* 19:199-202.